Journal of Testing and Evaluation
Author Index
Volume 27, 1999

Number	Month of Issue	Pages
1	January	1–84
2	March	85–176
3	May	177–247
4	July	249–306
5	September	307–354
6	November	357–439

A

Asundi, A: *see* Zhao, B and Asundi, A

B

Baker, KH: *see* Lytle, CD and Baker, KH

Balasubramonian, S: *see* Pandian, NS and Balasubramonian, S

Barclay, DW: *see* Chui, YH, Barclay, DW, and Cooper, PA

Barros, R: *see* Sousa, JB, Prates, M, Barros, R, Langlois, P, Leclerc, AM, and Briggs, B

Baskaran, A, Chen, Y, and Vilaipornsawai, U: A new dynamic wind load cycle to evaluate mechanically attached flexible membrane roofs, July, 249

Bayer, P, Notes, A, and Singher, L: Early detection of fatigue damage through ultrasonic non-destructive evaluation—Part I: theory, Nov., 428

Bayer, P, Singher, L, and Notea, A: Early detection of fatigue damage through ultrasonic non-destructive evaluation: part II: experimental, Nov., 428

Bilir, OG: *see* Celik, M and Bilir, OG

Bledzki, AK, Gassan, J, and Kessler, A: Loss energy of composite materials. Part II: Impact loading, Jan., 36

Blessing, GV: *see* Slotwinski, JA and Blessing, GV

Bossi, RH: Failure analysis using microfocus x-ray imaging, March, 137

Brault, JR: *see* Powerss, CM, Kulig, K, Flynn, J, and Brault, JR

Bressers, J: *see* He, Q, Bressers, J, Fenske, E, and Decat, R

Briggs, B: *see* Sousa, JB, Prates, M, Barros, R, Langlois, P, Leclerc, AM, and Briggs, B

Brown, WC: *see* Tonyan, TD, Moyer, KW, and Brown, WC

C

Cantwell, WJ: *see* Grant, PV and Cantwell, WJ

Carey, RF: *see* Herman, BA and Carey, RF

Carll, CG and Highley, TL: Decay of wood and wood-based products above ground in buildings, March, 150

Celik, M and Bilir, OG: Analysis of Stresses in Spur Gears by the Photoelastic Coating Method, July, 266

Celik, T.: *see* Eren, O, Marar, K., and Celik, T.

Chen, Y: *see* Baskaran, A, Chen, Y, and Vilaipornsawai, U

Chiang, FP: *see* Du, ML and Chiang, FP

Chuai, CT: *see* Tan, SA, Fwa, TF, and Chuai, CT

Chui, YH, Barclay, DW, and Cooper, PA: Evaluation of wood poles using a free vibratiion technique, May, 191

Chwirut, DJ: *see* Walsh, DL, Chwirut, DJ, and Kotz, RM

Close, D: *see* Singh, SP, Walker, R, and Close, D

Colbert, JC: *see* Montemayor, RG, Rogerson, JE, Colbert, JC, and Schiller, SB

Cooper, PA: *see* Chui, YH, Barclay, DW, and Cooper, PA

Coyle, TW: *see* Sarrafi-Nour, GR and Coyle, TW

D

Decat, R: *see* He, Q, Bressers, J, Fenske, E, and Decat, R

Divinsky, M and Livneh, M.: Probabilistic model for the analysis of dynamic cone penetrometer test values in pavement structure evaluation, Jan., 7

Du, ML and Chiang, FP: Observation of the propagation of plastic strain in HSLA 80 Steel, March, 85

Duncan, PB: *see* La Van, DA, Duncan, PB, Zeng, H, and Sharpe, WN

E

Eren, O, Marar, K., and Celik, T.: Effects of silica fume and steel fibers on some mechanical properties of high-strength fiber-reinforced concrete, Nov., 380

F

Fendley, A, Marpet, MI, Medoff, H, and Schutter, D: Repeatability and reproducibility in walkway-safety tribometry: abrasive-grit size in test-foot preparation, Jan., 76

Fenske, E: *see* He, Q, Bressers, J, Fenske, E, and Decat, R

Flynn, J: *see* Powerss, CM, Kulig, K, Flynn, J, and Brault, JR

Frost, FF and Karri, V: Effect of heat treatment on mechanical properties and surface roughness of aluminum Alloy 601, July, 273

Fwa, TF: *see* Tan, SA, Fwa, TF, and Chuai, CT

G

Gassan, J: *see* Bledzki, AK, Gassan, J, and Kessler, A

Ghosh, TK: Devlopment and Evaluation of a Biaxial Tensile Tester for Fabrics, July, 282

Gil, CM, Lissenden, CJ, and Lerch, BA: Yield of Inconel 718 by axial-torsional loading at temperatures up to 649°C, Sept., 327

Gil, CM: *see* Lissenden, CJ, Gil, CM, and Lerch, BA

Glaser, RA, Shulman, S, and Klinger, P: Data supporting a provisional American Society for Testing and Materials (ASTM) method for metalworking fluids, Part 2:

© 1999 by the American Society for Testing and Materials

preliminary report of evaluation of a ternary solvent blend in a provisional ASTM method for metalworking fluids (P-42-97), March, 131

Glaser, RA: Data supporting a provisional American Society for Testing and Materials (ASTM) method for metalworking fluids, Part I: a solvent blend with wide-ranging ability to dissolve metalworking fluids, March, 171

Gong, Y and Norton, M: Cyclic response and fatigue of steels subjected to strain control with non-zero means, Jan., 15

Goulias, DG and Ishati, I: Experimental system for simulating crack propagation in asphalt pavements and effectiveness of geosynthetics in crack retardation, March, 106

Grant, PV and Cantwell, WJ: A simple catapult system for studying the small projectile impact resistance of various glass laminates, May, 177

Gu, I: A CTOD approach to predicting crack extensions in aluminum alloys, March, 143

H

Harada, T and Noguchi, H: Ultrasonic signal-transmission techniques for compact microtunneling systems, March, 114

Harada, T and Noguchi, H: Estimation with a Few Strain Gages of Stress Fields near a Notch Root of Actual Structures Under In-Plane Loading, March, 122

He, Q, Bressers, J, Fenske, E, and Decat, R: Stress-strain behavior of a Fe-Ni-Cr alloy during in- and out-of-place synchronized thermal cycling and mechanical cycling tests, Jan., 69

Heerens, J: *see* Nikishkov, GP, Heerens, J, and Hellmann, D

Hellmann, D:
see Nikishkov, GP, Heerens, J, and Hellmann, D
see Nikishkov, GP, Herrens, J, and Hellmann, D

Herman, BA and Carey, RF: Validation of a corona discharge technique to test male latex condoms for pinhole defects, Jan., 3

Herrens, J: *see* Nikishkov, GP, Herrens, J, and Hellmann, D

Highley, TL: *see* Carll, CG and Highley, TL

I

Ishati, I: *see* Goulias, DG and Ishati, I

K

Karri, V: *see* Frost, FF and Karri, V

Kessler, A: *see* Bledzki, AK, Gassan, J, and Kessler, A

Klinger, P: *see* Glaser, RA, Shulman, S, and Klinger, P

Kolednik, O: *see* Riemelmoser, FO, Pippan, R, Weinhandl, H, and Kolednik, O

Komatsu, S: *see* Srinivasan, MN and Komatsu, S

Kotz, RM: *see* Walsh, DL, Chwirut, DJ, and Kotz, RM

Kulig, K: *see* Powerss, CM, Kulig, K, Flynn, J, and Brault, JR

L

La Van, DA, Duncan, PB, Zeng, H, and Sharpe, WN: A new gripping technique for small metal specimens, May, 243

Lagergren, ES: *see* Zarr, RR and Lagergren, ES

Langlois, P: *see* Sousa, JB, Prates, M, Barros, R, Langlois, P, Leclerc, AM, and Briggs, B

Leclerc, AM: *see* Sousa, JB, Prates, M, Barros, R, Langlois, P, Leclerc, AM, and Briggs, B

Leichti, RJ and Nakhata, T: The role of bearing plates in the five-point bending tests of structural-size lumber, May, 183

Lerch, BA:
see Gil, CM, Lissenden, CJ, and Lerch, BA
see Lissenden, CJ, Gil, CM, and Lerch, BA

Lin, H: *see* Nayeb-Hashemi, H and Lin, H

Linde, L: *see* Sandström, R and Linde, L

Lissenden, CJ, Gil, CM, and Lerch, BA: A methodology for determining rate-dependent flow surfaces for Inconel 718, Nov., 402

Lissenden, CJ: *see* Gil, CM, Lissenden, CJ, and Lerch, BA

Livneh, M.: *see* Divinsky, M and Livneh, M.

Lytle, CD and Baker, KH: Ability of a viral penetration test (ASTM F1671-95) to detect small holes, May, 231

M

Marar, K.: *see* Eren, O, Marar, K., and Celik, T.

Marpet, MI: *see* Fendley, A, Marpet, MI, Medoff, H, and Schutter, D

McCowan, CN, Wang, CM, and Vigliotti, DP: Charpy impact verification data (1994-1996): a summary, March, 89

Medoff, H: *see* Fendley, A, Marpet, MI, Medoff, H, and Schutter, D

Montemayor, RG: The effect of kinematic viscosity on the flash point of liquids determined by ASTM 93 Procedure A, ASTM D 93 Procedure B, and ASTM D 56, Nov., 388

Montemayor, RG, Rogerson, JE, Colbert, JC, and Schiller, SB: Reference verification fluids for flash point determination, Nov., 423

Moyer, KW: *see* Tonyan, TD, Moyer, KW, and Brown, WC

N

Nakhata, T: *see* Leichti, RJ and Nakhata, T

Nayeb-Hashemi, H and Lin, H: General constitutive relations of anorthotropic 6061-T6 aluminum and its fatigue life under proportional and non-proportional loadings, Nov., 412

Nikishkov, GP, Heerens, J, and Hellmann, D: Comparison of finite element results and experimental measurements of CTODδ_5 in CT specimens, Sept., 307

Nikishkov, GP, Herrens, J, and Hellmann, D: Effect of crack front curvature and side grooving on CTODδ_5 and *J*-integral in CT and 3PB specimens, Sept., 312

Noguchi, H: *see* Harada, T and Noguchi, H

Norton, M: *see* Gong, Y and Norton, M

Notea, A: *see* Bayer, P, Singher, L, and Notea, A

Notes, A: *see* Bayer, P, Notes, A, and Singher, L

O

Ostenson, JE: *see* Russsell, AM and Ostenson, JE

P

Pandian, NS, Sridharan, A, and Raju, PS: California bearing ratio test simplied, Jan., 72

Pandian, NS and Balasubramonian, S: Permeability and consolidation behavior of fly ashes, Sept., 337

Pellicane, PJ: Modeling considerations in wood-related research, Jan., 63

Pellicane, PJ and Robinson, G: Effect of construction adhesive and joist variability

on the deflection behavior of industrial wood floors, May, 234

Piascik, RS: *see* Riddell, WT and Piascik, RS

Pippan, R: *see* Riemelmoser, FO, Pippan, R, Weinhandl, H, and Kolednik, O

Powell, BE: *see* Zheng, J and Powell, BE

Powerss, CM, Kulig, K, Flynn, J, and Brault, JR: Repeatability and bias of two walkway safety tribometers, Nov., 368

Prates, M: *see* Sousa, JB, Prates, M, Barros, R, Langlois, P, Leclerc, AM, and Briggs, B

R

Raju, PS: *see* Pandian, NS, Sridharan, A, and Raju, PS

Ramadan, J: *see* Ramsamooj, DV and Ramadan, J

Ramakrishnan, N: *see* Suresh, RKV, Ramakrishnan, N, Srinivas, M, and Ramarao, P

Ramarao, P: *see* Suresh, RKV, Ramakrishnan, N, Srinivas, M, and Ramarao, P

Ramsamooj, DV and Ramadan, J: Prediction of permanent deformation of asphalt concrete in cyclic and monotonic loading, Sept., 320

Ramsamooj, DV: Prediction of fatigue performance of asphalt concrete mixes, Sept., 343

Riddell, WT and Piascik, RS: A backfaced strain compliance expression for the compact tension specimen, March, 167

Riemelmoser, FO, Pippan, R, Weinhandl, H, and Kolednik, O: The influence of irregularities in the crack shape on the crack extension measurement by means of the direct-current-potential-drop method, Jan., 42

Robinson, G: *see* Pellicane, PJ and Robinson, G

Rogerson, JE: *see* Montemayor, RG, Rogerson, JE, Colbert, JC, and Schiller, SB

Russsell, AM and Ostenson, JE: A low-temperature modification to the Charpy Impact Test, with an example study of the fracture toughness of Mg-12%Li between 4.2 to 77 K, July, 301

S

Sandström: Extrapolation of creep strain data for pure copper, Jan., 31

Sandström, R and Linde, L: Precision in the extrapolation of creep rupture data, May, 203

Sarrafi-Nour, GR and Coyle, TW: On the application of the indirect compliance measurement technique to flexure specimens containing a chevron notch, Nov., 366

Schiller, SB: *see* Montemayor, RG, Rogerson, JE, Colbert, JC, and Schiller, SB

Schra, L and Wanhill, RJH: Further evaluation of automated stress corrosion ring (ASCOR) testing of aluminum alloys, May, 196

Schutter, D: *see* Fendley, A, Marpet, MI, Medoff, H, and Schutter, D

Sharpe, WN: *see* La Van, DA, Duncan, PB, Zeng, H, and Sharpe, WN

Shulman, S: *see* Glaser, RA, Shulman, S, and Klinger, P

Singh, SP, Walker, R, and Close, D: Comparison of returnable paper and plastic corrugated packaging trays for the United States Postal Service, July, 296

Singh, SP: Instability of stacked pallet loads due to misalignment, Sept., 349

Singher, L:
see Bayer, P, Notes, A, and Singher, L
see Bayer, P, Singher, L, and Notea, A

Slotwinski, JA and Blessing, GV: Ultrasonic measurement of the dynamic elastic moduli of small metal samples, March, 164

Sousa, JB, Prates, M, Barros, R, Langlois, P, Leclerc, AM, and Briggs, B: Effect of asphalt mix design method on binder and gradation selection, Jan., 47

Sridharan, A: *see* Pandian, NS, Sridharan, A, and Raju, PS

Srinivas, M: *see* Suresh, RKV, Ramakrishnan, N, Srinivas, M, and Ramarao, P

Srinivasan, MN and Komatsu, S: Effect of austempering variables on the quasi-static and dynamic fracture toughness of austempered ductile iron, March, 100

Suresh, RKV, Ramakrishnan, N, Srinivas, M, and Ramarao, P: On the determination of JIC using the stretch zone width method, May, 211

T

Tan, SA, Fwa, TF, and Chuai, CT: Automatic field permeameter for drainage properties of porous asphalt mixes, Jan., 57

Tonyan, TD, Moyer, KW, and Brown, WC: Water management and moisture transport in direct-applied and EIFS wall assemblies, May, 219

V

Vigliotti, DP: *see* McCowan, CN, Wang, CM, and Vigliotti, DP

Vilaipornsawai, U: *see* Baskaran, A, Chen, Y, and Vilaipornsawai, U

W

Walker, R: *see* Singh, SP, Walker, R, and Close, D

Walsh, DL, Chwirut, DJ, and Kotz, RM: Environmental degradation of natural rubber latex gloves: the effects of elevated temperature on tensile strength, Nov., 396

Wang, CM: *see* McCowan, CN, Wang, CM, and Vigliotti, DP

Wanhill, RJH: *see* Schra, L and Wanhill, RJH

Weinhandl, H: *see* Riemelmoser, FO, Pippan, R, Weinhandl, H, and Kolednik, O

Y

Yarosh, KF: EFIS sealant joint restoration, March, 159

Z

Zarr, RR and Lagergren, ES: Interlaboratory "pilot run" study of small heat-flow-meter apparatus for ASTM C 518, Nov., 357

Zeng, H: *see* La Van, DA, Duncan, PB, Zeng, H, and Sharpe, WN

Zhao, B and Asundi, A: Evaluating the quality of a mechanical testing system using displacement field contours, July, 290

Zheng, J and Powell, BE: A method to determine the transition point of fatigue crack growth rate from nearΔK_{th} to Paris regions, July, 304

Journal of Testing and Evaluation
Subject Index
Volume 27, 1999

A

Abrasion
Effects of silica fume and steel fibers on some mechanical properties of high-strength fiber-reinforced concrete (Eren, O, Marar, K., and Celik, T.), Nov., 380

Abrasive-grit size
Repeatability and reproducibility in walkway-safety tribometry: abrasive-grit size in test-foot preparation (Fendley, A, Marpet, MI, Medoff, H, and Schutter, D), Jan., 76

Aeronautics
A methodology for determining rate-dependent flow surfaces for Inconel 718 (Lissenden, CJ, Gil, CM, and Lerch, BA), Nov., 402

Alloy
A low-temperature modification to the Charpy Impact Test, with an example study of the fracture toughness of Mg-12%Li between 4.2 to 77 K (Russsell, AM and Ostenson, JE), July, 301

Alloys
Further evaluation of automated stress corrosion ring (ASCOR) testing of aluminum alloys (Schra, L and Wanhill, RJH), May, 196

Aluminum
Effect of heat treatment on mechanical properties and surface roughness of aluminum Alloy 601 (Frost, FF and Karri, V), July, 273

Asphalt concrete

Prediction of fatigue performance of asphalt concrete mixes (Ramsamooj, DV), Sept., 343
Prediction of permanent deformation of asphalt concrete in cyclic and monotonic loading (Ramsamooj, DV and Ramadan, J), Sept., 320

Asphalt mixes
Automatic field permeameter for drainage properties of porous asphalt mixes (Tan, SA, Fwa, TF, and Chuai, CT), Jan., 57

Austempering time
Effect of austempering variables on the quasi-static and dynamic fracture toughness of austempered ductile iron (Srinivasan, MN and Komatsu, S), March, 100

Automatic field permeameter
Automatic field permeameter for drainage properties of porous asphalt mixes (Tan, SA, Fwa, TF, and Chuai, CT), Jan., 57

B

Back-faced strain
A back-faced strain compliance expression for the compact tension specimen (Riddell, WT and Piascik, RS), March, 167

Barrier test
Ability of a viral penetration test (ASTM F1671-95) to detect small holes (Lytle, CD and Baker, KH), May, 231

Bearing plates
The role of bearing plates in the five-point bending tests of structural-size lumber (Leichti, RJ and Nakhata, T), May, 183

Biaxial force
Devlopment and Evaluation of a Biaxial Tensile Tester for Fabrics (Ghosh, TK), July, 282

Biaxial testing
Devlopment and Evaluation of a Biaxial Tensile Tester for Fabrics (Ghosh, TK), July, 282

Binder selection
Effect of asphalt mix design method on binder and gradation selection (Sousa, JB, Prates, M, Barros, R, Langlois, P, Leclerc, AM, and Briggs, B), Jan., 47

Biological hazard
Ability of a viral penetration test (ASTM F1671-95) to detect small holes (Lytle, CD and Baker, KH), May, 231

Buildings
Decay of wood and wood-based products above ground in buildings (Carll, CG and Highley, TL), March, 150

C

Catapult
A simple catapult system for studying the small projectile impact resistance of various glass laminates (Grant, PV and Cantwell, WJ), May, 177

CBR test
California bearing ratio test simplied (Pandian, NS, Sridharan, A, and Raju, PS), Jan., 72

Charpy test
A low-temperature modification to the Charpy Impact Test, with an example study of the fracture toughness of Mg-12%Li between 4.2 to 77 K (Russsell, AM and Ostenson, JE), July, 301

Charpy V-notch
Charpy impact verification data (1994-1996): a summary (McCowan, CN, Wang, CM, and Vigliotti, DP), March, 89

Chevron-notched specimen
On the application of the indirect compliance measurement technique to flexure specimens containing a chevron notch (Sarrafi-Nour, GR and Coyle, TW), Nov., 366

Chlorination
Environmental degradation of natural rubber latex gloves: the effects of elevated temperature on tensile strength (Walsh, DL, Chwirut, DJ, and Kotz, RM), Nov., 396

Compact specimen
Comparison of finite element results and experimental measurements of CTODδ_5 in CT specimens (Nikishkov, GP, Heerens, J, and Hellmann, D), Sept., 307

Composite materials
Loss energy of composite materials. Part II: Impact loading (Bledzki, AK, Gassan, J, and Kessler, A), Jan., 36

Compression
Instability of stacked pallet loads due to misalignment (Singh, SP), Sept., 349

Compression stress
The role of bearing plates in the five-point bending tests of structural-size lumber (Leichti, RJ and Nakhata, T), May, 183

Condoms
Validation of a corona discharge technique to test male latex condoms for pinhole defects (Herman, BA and Carey, RF), Jan., 3

Consolidation
Permeability and consolidation behavior of fly ashes (Pandian, NS and Balasubramonian, S), Sept., 337

Corrosion
Further evaluation of automated stress corrosion ring (ASCOR) testing of aluminum alloys (Schra, L and Wanhill, RJH), May, 196

Corrugated paper
Comparison of returnable paper and plastic corrugated packaging trays for the United States Postal Service (Singh, SP, Walker, R, and Close, D), July, 296

Corrugated plastic
Comparison of returnable paper and plastic corrugated packaging trays for the United

© 1999 by the American Society for Testing and Materials

States Postal Service (Singh, SP, Walker, R, and Close, D), July, 296

Crack length
A back-faced strain compliance expression for the compact tension specimen (Riddell, WT and Piascik, RS), March, 167

Crack propagation
A CTOD approach to predicting crack extensions in aluminum alloys (Gu, I), March, 143

Crack retardation
Experimental system for simulating crack propagation in asphalt pavements and effectiveness of geosynthetics in crack retardation (Goulias, DG and Ishati, I), March, 106

Crack shape
The influence of irregularities in the crack shape on the crack extension measurement by means of the direct-current-potential-drop method (Riemelmoser, FO, Pippan, R, Weinhandl, H, and Kolednik, O), Jan., 42

Cracking
Prediction of permanent deformation of asphalt concrete in cyclic and monotonic loading (Ramsamooj, DV and Ramadan, J), Sept., 320

Creep
Precision in the extrapolation of creep rupture data (Sandström, R and Linde, L), May, 203

Creep rupture
Extrapolation of creep strain data for pure copper (Sandström), Jan., 31

Creep strain
Extrapolation of creep strain data for pure copper (Sandström), Jan., 31

CTOD
Comparison of finite element results and experimental measurements of CTODδ_5 in CT specimens (Nikishkov, GP, Heerens, J, and Hellmann, D), Sept., 307

Effect of crack front curvature and side grooving on CTOD δ_5 and *J*-integral in CT and 3PB specimens (Nikishkov, GP, Herrens, J, and Hellmann, D), Sept., 312

Cyclic loading
General constitutive relations of anorthotropic 6061-T6 aluminum and its fatigue life under proportional and non-proportional loadings (Nayeb-Hashemi, H and Lin, H), Nov., 412

D

Damage assessment
Early detection of fatigue damage through ultrasonic non-destructive evaluation: part II: experimental (Bayer, P, Singher, L, and Notea, A), Nov., 428

Damping behavior
Loss energy of composite materials. Part II: Impact loading (Bledzki, AK, Gassan, J, and Kessler, A), Jan., 36

Direct current potential drop
The influence of irregularities in the crack shape on the crack extension measurement by means of the direct-current-potential-drop method (Riemelmoser, FO, Pippan, R, Weinhandl, H, and Kolednik, O), Jan., 42

Displacement contour
Evaluating the quality of a mechanical testing system using displacement field contours (Zhao, B and Asundi, A), July, 290

Displacement field
Evaluating the quality of a mechanical testing system using displacement field contours (Zhao, B and Asundi, A), July, 290

E

EIFS
EFIS sealant joint restoration (Yarosh, KF), March, 159

Elastic-plastic
A CTOD approach to predicting crack extensions in aluminum alloys (Gu, I), March, 143

Extrapolation
Extrapolation of creep strain data for pure copper (Sandström), Jan., 31

Precision in the extrapolation of creep rupture data (Sandström, R and Linde, L), May, 203

F

Failure analysis
Failure analysis using microfocus x-ray imaging (Bossi, RH), March, 137

Fatigue
Prediction of fatigue performance of asphalt concrete mixes (Ramsamooj, DV), Sept., 343

Fatigue crack growth
A method to determine the transition point of fatigue crack growth rate from nearΔK_{th} to Paris regions (Zheng, J and Powell, BE), July, 304

Fatigue damage
Early detection of fatigue damage through ultrasonic non-destructive evaluation—Part I: theory (Bayer, P, Notes, A, and Singher, L), Nov., 428

Fatigue life
General constitutive relations of anorthotropic 6061-T6 aluminum and its fatigue life under proportional and non-proportional loadings (Nayeb-Hashemi, H and Lin, H), Nov., 412

Fatigue life distribution
Cyclic response and fatigue of steels subjected to strain control with non-zero means (Gong, Y and Norton, M), Jan., 15

Fiber treatment
Loss energy of composite materials. Part II: Impact loading (Bledzki, AK, Gassan, J, and Kessler, A), Jan., 36

Fiberboard
Instability of stacked pallet loads due to misalignment (Singh, SP), Sept., 349

Fine-grained soils
California bearing ratio test simplied (Pandian, NS, Sridharan, A, and Raju, PS), Jan., 72

Finite element
Comparison of finite element results and experimental measurements of CTODδ_5 in CT specimens (Nikishkov, GP, Heerens, J, and Hellmann, D), Sept., 307

Effect of crack front curvature and side grooving on CTOD δ_5 and *J*-integral in CT and 3PB specimens (Nikishkov, GP, Herrens, J, and Hellmann, D), Sept., 312

On the determination of JIC using the stretch zone width method (Suresh, RKV, Ramakrishnan, N, Srinivas, M, and Ramarao, P), May, 211

Flash point
The effect of kinematic viscosity on the flash point of liquids determined by ASTM 93 Procedure A, ASTM D 93 Procedure B, and ASTM D 56 (Montemayor, RG), Nov., 388

Flocculation
Permeability and consolidation behavior of fly ashes (Pandian, NS and Balasubramonian, S), Sept., 337

Floor systems
Effect of construction adhesive and joist variability on the deflection behavior of industrial wood floors (Pellicane, PJ and Robinson, G), May, 234

Flow surfaces
A methodology for determining rate-dependent flow surfaces for Inconel 718 (Lissenden, CJ, Gil, CM, and Lerch, BA), Nov., 402

Food and Drug Administration
Validation of a corona discharge technique to test male latex condoms for pinhole defects (Herman, BA and Carey, RF), Jan., 3

Force plate
Repeatability and bias of two walkway safety tribometers (Powerss, CM, Kulig, K, Flynn, J, and Brault, JR), Nov., 368

Fracture
On the application of the indirect compliance measurement technique to flexure specimens containing a chevron notch (Sarrafi-Nour, GR and Coyle, TW), Nov., 366

Fracture behavior
Prediction of fatigue performance of asphalt concrete mixes (Ramsamooj, DV), Sept., 343

Fracture mechanics
A CTOD approach to predicting crack extensions in aluminum alloys (Gu, I), March, 143

Fracture toughness
A low-temperature modification to the Charpy Impact Test, with an example study

of the fracture toughness of Mg-12%Li between 4.2 to 77 K (Russsell, AM and Ostenson, JE), July, 301

Effect of austempering variables on the quasi-static and dynamic fracture toughness of austempered ductile iron (Srinivasan, MN and Komatsu, S), March, 100

Fungi
Decay of wood and wood-based products above ground in buildings (Carll, CG and Highley, TL), March, 150

G

Glass fiber
Interlaboratory "pilot run" study of small heat-flow-meter apparatus for ASTM C 518 (Zarr, RR and Lagergren, ES), Nov., 357

Gloves
Environmental degradation of natural rubber latex gloves: the effects of elevated temperature on tensile strength (Walsh, DL, Chwirut, DJ, and Kotz, RM), Nov., 396

Gripping
A new gripping technique for small metal specimens (La Van, DA, Duncan, PB, Zeng, H, and Sharpe, WN), May, 243

H

Heat treatment
Effect of heat treatment on mechanical properties and surface roughness of aluminum Alloy 601 (Frost, FF and Karri, V), July, 273

High strength concretes
Effects of silica fume and steel fibers on some mechanical properties of high-strength fiber-reinforced concrete (Eren, O, Marar, K., and Celik, T.), Nov., 380

I

Impact resistance
Effects of silica fume and steel fibers on some mechanical properties of high-strength fiber-reinforced concrete (Eren, O, Marar, K., and Celik, T.), Nov., 380

Impact testing
Charpy impact verification data (1994-1996): a summary (McCowan, CN, Wang, CM, and Vigliotti, DP), March, 89

Inconel 718
Yield of Inconel 718 by axial-torsional loading at temperatures up to 649°C (Gil, CM, Lissenden, CJ, and Lerch, BA), Sept., 327

Inelastic flow
A methodology for determining rate-dependent flow surfaces for Inconel 718 (Lissenden, CJ, Gil, CM, and Lerch, BA), Nov., 402

J

Joists
Effect of construction adhesive and joist variability on the deflection behavior of industrial wood floors (Pellicane, PJ and Robinson, G), May, 234

K

Kinematic viscosity
The effect of kinematic viscosity on the flash point of liquids determined by ASTM 93 Procedure A, ASTM D 93 Procedure B, and ASTM D 56 (Montemayor, RG), Nov., 388

L

Laminates
A simple catapult system for studying the small projectile impact resistance of various glass laminates (Grant, PV and Cantwell, WJ), May, 177

Latex
Validation of a corona discharge technique to test male latex condoms for pinhole defects (Herman, BA and Carey, RF), Jan., 3

Load displacement
On the application of the indirect compliance measurement technique to flexure specimens containing a chevron notch (Sarrafi-Nour, GR and Coyle, TW), Nov., 366

M

Manufacturing
Effect of heat treatment on mechanical properties and surface roughness of aluminum Alloy 601 (Frost, FF and Karri, V), July, 273

Metal specimens
A new gripping technique for small metal specimens (La Van, DA, Duncan, PB, Zeng, H, and Sharpe, WN), May, 243

Microfocus
Failure analysis using microfocus x-ray imaging (Bossi, RH), March, 137

Modeling
Modeling considerations in wood-related research (Pellicane, PJ), Jan., 63

Moire method
Observation of the propagation of plastic strain in HSLA 80 Steel (Du, ML and Chiang, FP), March, 85

Moisture content
Water management and moisture transport in direct-applied and EIFS wall assemblies (Tonyan, TD, Moyer, KW, and Brown, WC), May, 219

N

N-decane
Reference verification fluids for flash point determination (Montemayor, RG, Rogerson, JE, Colbert, JC, and Schiller, SB), Nov., 423

N-undecane
Reference verification fluids for flash point determination (Montemayor, RG, Rogerson, JE, Colbert, JC, and Schiller, SB), Nov., 423

Nonlinear
Modeling considerations in wood-related research (Pellicane, PJ), Jan., 63

O

Offset yield loci
Yield of Inconel 718 by axial-torsional loading at temperatures up to 649°C (Gil, CM, Lissenden, CJ, and Lerch, BA), Sept., 327

Out-of-phase cycling
Stress-strain behavior of a Fe-Ni-Cr alloy during in- and out-of-place synchronized thermal cycling and mechanical cycling tests (He, Q, Bressers, J, Fenske, E, and Decat, R), Jan., 69

P

Pallet stacks
Instability of stacked pallet loads due to misalignment (Singh, SP), Sept., 349

Pavement rutting
Experimental system for simulating crack propagation in asphalt pavements and effectiveness of geosynthetics in crack retardation (Goulias, DG and Ishati, I), March, 106

Pavements
Probabilistic model for the analysis of dynamic cone penetrometer test values in pavement structure evaluation (Divinsky, M and Livneh, M.), Jan., 7

Pendulum machines
Charpy impact verification data (1994-1996): a summary (McCowan, CN, Wang, CM, and Vigliotti, DP), March, 89

Penetrometers
Probabilistic model for the analysis of dynamic cone penetrometer test values in pavement structure evaluation (Divinsky, M and Livneh, M.), Jan., 7

Pensky-Martens flash point
The effect of kinematic viscosity on the flash point of liquids determined by ASTM 93 Procedure A, ASTM D 93 Procedure B, and ASTM D 56 (Montemayor, RG), Nov., 388

Permeability
Permeability and consolidation behavior of fly ashes (Pandian, NS and Balasubramonian, S), Sept., 337

Photoelastic coating
Analysis of Stresses in Spur Gears by the Photoelastic Coating Method (Celik, M and Bilir, OG), July, 266

Plastic
Observation of the propagation of plastic strain in HSLA 80 Steel (Du, ML and Chiang, FP), March, 85

Plastic deformation
General constitutive relations of anorthotropic 6061-T6 aluminum and its fatigue life under proportional and non-proportional loadings (Nayeb-Hashemi, H and Lin, H), Nov., 412

Plastic propagation
Observation of the propagation of plastic strain in HSLA 80 Steel (Du, ML and Chiang, FP), March, 85

Poisson's ratio
Ultrasonic measurement of the dynamic elastic moduli of small metal samples (Slotwinski, JA and Blessing, GV), March, 164

Polariscope
Analysis of Stresses in Spur Gears by the Photoelastic Coating Method (Celik, M and Bilir, OG), July, 266

Porous asphalt mixes
Automatic field permeameter for drainage properties of porous asphalt mixes (Tan, SA, Fwa, TF, and Chuai, CT), Jan., 57

Postal trays
Comparison of returnable paper and plastic corrugated packaging trays for the United States Postal Service (Singh, SP, Walker, R, and Close, D), July, 296

Potential-drop method
The influence of irregularities in the crack shape on the crack extension measurement by means of the direct-current-potential-drop method (Riemelmoser, FO, Pippan, R, Weinhandl, H, and Kolednik, O), Jan., 42

Proctor mold
California bearing ratio test simplied (Pandian, NS, Sridharan, A, and Raju, PS), Jan., 72

Projectile
A simple catapult system for studying the small projectile impact resistance of various glass laminates (Grant, PV and Cantwell, WJ), May, 177

Protective clothing
Ability of a viral penetration test (ASTM F1671-95) to detect small holes (Lytle, CD and Baker, KH), May, 231

Provisional ASTM method
Data supporting a provisional American Society for Testing and Materials (ASTM) method for metalworking fluids, Part 2: preliminary report of evaluation of a ternary solvent blend in a provisional ASTM method for metalworking fluids (P-42-97) (Glaser, RA, Shulman, S, and Klinger, P), March, 131

Provisional standards
Data supporting a provisional American Society for Testing and Materials (ASTM) method for metalworking fluids, Part I: a solvent blend with wide-ranging ability to dissolve metalworking fluids (Glaser, RA), March, 171

R

Reflective cracking
Experimental system for simulating crack propagation in asphalt pavements and effectiveness of geosynthetics in crack retardation (Goulias, DG and Ishati, I), March, 106

Research
Modeling considerations in wood-related research (Pellicane, PJ), Jan., 63

Restoration
EFIS sealant joint restoration (Yarosh, KF), March, 159

Roofing membrane
A new dynamic wind load cycle to evaluate mechanically attached flexible membrane roofs (Baskaran, A, Chen, Y, and Vilaipornsawai, U), July, 249

Rubber latex
Environmental degradation of natural rubber latex gloves: the effects of elevated temperature on tensile strength (Walsh, DL, Chwirut, DJ, and Kotz, RM), Nov., 396

Rutting
Prediction of permanent deformation of asphalt concrete in cyclic and monotonic loading (Ramsamooj, DV and Ramadan, J), Sept., 320

S

Shear stress
The role of bearing plates in the five-point bending tests of structural-size lumber (Leichti, RJ and Nakhata, T), May, 183

Sheathing
Decay of wood and wood-based products above ground in buildings (Carll, CG and Highley, TL), March, 150

Sheathing membrane
Water management and moisture transport in direct-applied and EIFS wall assemblies (Tonyan, TD, Moyer, KW, and Brown, WC), May, 219

Silicone
EFIS sealant joint restoration (Yarosh, KF), March, 159

Slip resistance
Repeatability and bias of two walkway safety tribometers (Powerss, CM, Kulig, K, Flynn, J, and Brault, JR), Nov., 368

Solubility studies
Data supporting a provisional American Society for Testing and Materials (ASTM) method for metalworking fluids, Part I: a solvent blend with wide-ranging ability to dissolve metalworking fluids (Glaser, RA), March, 171

Spiking study
Data supporting a provisional American Society for Testing and Materials (ASTM) method for metalworking fluids, Part 2: preliminary report of evaluation of a ternary solvent blend in a provisional ASTM method for metalworking fluids (P-42-97) (Glaser, RA, Shulman, S, and Klinger, P), March, 131

Spur gears
Analysis of Stresses in Spur Gears by the Photoelastic Coating Method (Celik, M and Bilir, OG), July, 266

Static testing
A new dynamic wind load cycle to evaluate mechanically attached flexible membrane roofs (Baskaran, A, Chen, Y, and Vilaipornsawai, U), July, 249

Steel weldments
A new gripping technique for small metal specimens (La Van, DA, Duncan, PB, Zeng, H, and Sharpe, WN), May, 243

Steels
Cyclic response and fatigue of steels subjected to strain control with non-zero means (Gong, Y and Norton, M), Jan., 15

Strain gage
Estimation with a Few Strain Gages of Stress Fields near a Notch Root of Actual Structures Under In-Plane Loading (Harada, T and Noguchi, H), March, 122

Strain-controlled fatigue
Cyclic response and fatigue of steels subjected to strain control with non-zero means (Gong, Y and Norton, M), Jan., 15

Stress
Further evaluation of automated stress corrosion ring (ASCOR) testing of aluminum alloys (Schra, L and Wanhill, RJH), May, 196

Ultrasonic signal-transmission techniques for compact microtunneling systems (Harada, T and Noguchi, H), March, 114

Stress analysis
Estimation with a Few Strain Gages of Stress Fields near a Notch Root of Actual Structures Under In-Plane Loading (Harada, T and Noguchi, H), March, 122

Ultrasonic signal-transmission techniques for compact microtunneling systems (Harada, T and Noguchi, H), March, 114

Stress concentration
Estimation with a Few Strain Gages of Stress Fields near a Notch Root of Actual Structures Under In-Plane Loading (Harada, T and Noguchi, H), March, 122

Ultrasonic signal-transmission techniques for compact microtunneling systems (Harada, T and Noguchi, H), March, 114

Stress grading
Evaluation of wood poles using a free vibratiion technique (Chui, YH, Barclay, DW, and Cooper, PA), May, 191

Stress-strain behavior
Stress-strain behavior of a Fe-Ni-Cr alloy during in- and out-of-place synchronized

thermal cycling and mechanical cycling tests (He, Q, Bressers, J, Fenske, E, and Decat, R), Jan., 69

Stretch zone
On the determination of JIC using the stretch zone width method (Suresh, RKV, Ramakrishnan, N, Srinivas, M, and Ramarao, P), May, 211

Stretch zone width
On the determination of JIC using the stretch zone width method (Suresh, RKV, Ramakrishnan, N, Srinivas, M, and Ramarao, P), May, 211

Superalloy
Yield of Inconel 718 by axial-torsional loading at temperatures up to 649°C (Gil, CM, Lissenden, CJ, and Lerch, BA), Sept., 327

Superpave
Effect of asphalt mix design method on binder and gradation selection (Sousa, JB, Prates, M, Barros, R, Langlois, P, Leclerc, AM, and Briggs, B), Jan., 47

T

Temperature
Effect of austempering variables on the quasi-static and dynamic fracture toughness of austempered ductile iron (Srinivasan, MN and Komatsu, S), March, 100

Precision in the extrapolation of creep rupture data (Sandström, R and Linde, L), May, 203

Tensile behavior
Devlopment and Evaluation of a Biaxial Tensile Tester for Fabrics (Ghosh, TK), July, 282

Tension specimen
A back-faced strain compliance expression for the compact tension specimen (Riddell, WT and Piascik, RS), March, 167

Effect of crack front curvature and side grooving on CTOD δ_5 and *J*-integral in CT and 3PB specimens (Nikishkov, GP, Herrens, J, and Hellmann, D), Sept., 312

Ternary solvent blend
Data supporting a provisional American Society for Testing and Materials (ASTM) method for metalworking fluids, Part 2: preliminary report of evaluation of a ternary solvent blend in a provisional ASTM method for metalworking fluids (P-42-97) (Glaser, RA, Shulman, S, and Klinger, P), March, 131
Data supporting a provisional American Society for Testing and Materials (ASTM) method for metalworking fluids, Part I: a solvent blend with wide-ranging ability to dissolve metalworking fluids (Glaser, RA), March, 171

Test-foot preparation
Repeatability and reproducibility in walkway-safety tribometry: abrasive-grit size in test-foot preparation (Fendley, A, Marpet, MI, Medoff, H, and Schutter, D), Jan., 76

Testing characteristics
Probabilistic model for the analysis of dynamic cone penetrometer test values in pavement structure evaluation (Divinsky, M and Livneh, M.), Jan., 7

Thermal conductivity
Interlaboratory "pilot run" study of small heat-flow-meter apparatus for ASTM C 518 (Zarr, RR and Lagergren, ES), Nov., 357

Thermal insulation
Interlaboratory "pilot run" study of small heat-flow-meter apparatus for ASTM C 518 (Zarr, RR and Lagergren, ES), Nov., 357

Thermomechanical superposition
Stress-strain behavior of a Fe-Ni-Cr alloy during in- and out-of-place synchronized thermal cycling and mechanical cycling tests (He, Q, Bressers, J, Fenske, E, and Decat, R), Jan., 69

Threshold value
A method to determine the transition point of fatigue crack growth rate from nearΔK_{th} to Paris regions (Zheng, J and Powell, BE), July, 304

Transition point
A method to determine the transition point of fatigue crack growth rate from nearΔK_{th} to Paris regions (Zheng, J and Powell, BE), July, 304

U

Ultrasonic examinations
Early detection of fatigue damage through ultrasonic non-destructive evaluation—Part I: theory (Bayer, P, Notes, A, and Singher, L), Nov., 428
Early detection of fatigue damage through ultrasonic non-destructive evaluation: part II: experimental (Bayer, P, Singher, L, and Notea, A), Nov., 428

Ultrasonics
Ultrasonic measurement of the dynamic elastic moduli of small metal samples (Slotwinski, JA and Blessing, GV), March, 164

V

Vapor permeance
Water management and moisture transport in direct-applied and EIFS wall assemblies (Tonyan, TD, Moyer, KW, and Brown, WC), May, 219

Velocity measurements
Early detection of fatigue damage through ultrasonic non-destructive evaluation—Part I: theory (Bayer, P, Notes, A, and Singher, L), Nov., 428
Early detection of fatigue damage through ultrasonic non-destructive evaluation: part II: experimental (Bayer, P, Singher, L, and Notea, A), Nov., 428

Verification fluids
Reference verification fluids for flash point determination (Montemayor, RG, Rogerson, JE, Colbert, JC, and Schiller, SB), Nov., 423

Vibration test
Evaluation of wood poles using a free vibratiion technique (Chui, YH, Barclay, DW, and Cooper, PA), May, 191

Visualization
Evaluating the quality of a mechanical testing system using displacement field contours (Zhao, B and Asundi, A), July, 290

Volumetric design
Effect of asphalt mix design method on binder and gradation selection (Sousa, JB, Prates, M, Barros, R, Langlois, P, Leclerc, AM, and Briggs, B), Jan., 47

W

Walkway safety
Repeatability and bias of two walkway safety tribometers (Powerss, CM, Kulig, K, Flynn, J, and Brault, JR), Nov., 368
Repeatability and reproducibility in walkway-safety tribometry: abrasive-grit size in test-foot preparation (Fendley, A, Marpet, MI, Medoff, H, and Schutter, D), Jan., 76

Wind uplift
A new dynamic wind load cycle to evaluate mechanically attached flexible membrane roofs (Baskaran, A, Chen, Y, and Vilaipornsawai, U), July, 249

Wood
Effect of construction adhesive and joist variability on the deflection behavior of industrial wood floors (Pellicane, PJ and Robinson, G), May, 234

Wood poles
Evaluation of wood poles using a free vibratiion technique (Chui, YH, Barclay, DW, and Cooper, PA), May, 191

X

X-ray imaging
Failure analysis using microfocus x-ray imaging (Bossi, RH), March, 137

Y

Young's modulus
Ultrasonic measurement of the dynamic elastic moduli of small metal samples (Slotwinski, JA and Blessing, GV), March, 164